


NEW PRODUCT

CPG
MADE IN TAIWAN

The chain coupling is composed of double-strand roller chain and two sprockets, featuring a simple and compact structure that offers a high flexibility and greater transmission capacity compared to similar sized coupling. The chain coupling allows simple connection and disconnection, and use of the housing enhances safety and durability.



Material

1. sprocket: C45 steel. HRC40-50.
2. chains: alloy steel.
 - 1) link joint: 40Mn
 - 2) pin roll: 30CrMnTi or 40Cr
 - 3) running pulley: M10 or M20
 - 4) sleeve: M10
3. shell: aluminum.

TABLE 1: DIMENSIONAL DATA

Chain Coupling Number	Chain Pitch	Coupling										Casing		
		Drill hole	Shaft diam.		O	L	D _H	L _H	S	C	Approx. weight (kg/m)	A	B	Approx. weight (kg/m)
			Min.	Max.										
KC 3012	9.525	12	13.5	16	45	65	27.2	29.5	6	10.1	0.31	69	63	0.22
KC 4012	12.70	12	14	22	62	79.4	36	36	7.4	14.4	0.73	77	72	0.30
KC 4014		12	14	28	69	79.4	45	36			1.12	84	75	0.31
KC 4016		13.5	16	32	77	87.4	51.5	40			1.50	92	72	0.35
KC 5014	15.875	14.5	17	35	86	99.7	56	45	9.7	18.1	2.15	101	85	0.47
KC 5016		14.5	18	40	96	99.7	64	45			2.75	110	87	0.50
KC 5018		16	18	45	106	99.7	73.5	45			3.60	122	85	0.60
KC 6018	19.05	20	22	56	127	123.5	89.5	56	11.5	22.8	6.55	147	105	1.2
KC 6020		20	24	60	139	123.5	102.5	56			8.38	158	105	1.2
KC 6022		20	28	71	151	123.5	115	56			10.4	168	117	1.2
KC 8018	20.40	20	32	80	169	141.2	115	63	15.2	29.3	13.2	190	129	1.9
KC 8020		20	36	90	185	145.2	125	65			16.2	210	137	2.5
KC 8022		20	40	100	202	157.2	142	71			21.8	226	137	2.7
KC 10020	31.75	25	45	110	233	178.8	162	80	18.8	35.8	32.4	281	153	4.1
KC 12018	38.10	35	50	125	256	202.7	173	90	22.7	45.4	43.2	307	181	5.2
KC 12022		35	56	140	304	222.7	213	100			69.1	357	181	6.7
KC 16018	50.80		68	160	341	360.1	220	165	30.1	58.5	122	402	240	9.6

NOTE: The first two or three digits of the chain coupling No. imply chain No. and the two succeeding digits imply the No. of teeth

CPG
MADE IN TAIWAN



We are the industry leader



บริษัท เจริญเมืองแมชชีนเนอรี จำกัด
CHAROEN MUANG MACHINERY CO., LTD.

164/1 อาคารเครื่องโถก ถนนวิสุทธิกษัตริย์ แขวงบ้านพานถม เขตพระนคร กรุงเทพฯ 10200
02-281-5331 (30 LINES), 02-280-8431-5, 02-280-8031-2 Fax : 02-280-8033-5
info@crm.co.th, manager_crm@hotmail.com



www.crm.co.th